ELEC 533 Homework 8

Due date: In class on Wednesday, Oct 30th, 2002

Instructor: Dr. Rudolf Riedi

- 30. Recall the definition of the k-th cumulant λ_k as $(-i)^k \cdot \psi^{(k)}(0)$, i.e., $(-i)^k$ times the k-th derivative at u = 0 of $\psi(u) = \log \mathbb{E}[\exp(iuX)]$ (the logarithm of the characteristic function). Recall also that Skew is defined as $\lambda_3/(\lambda_2)^{3/2}$ and Kurtosis as $\lambda_4/(\lambda_2)^2$.
 - (a) Show that the cumulants of order 3 and higher for a Gaussian r.v. are zero. Thus in particular, the Skew and Kurtosis for a Gaussian r.v. are zero.
 - (b) Express the cumulants (of all orders) of an exponential r.v. in terms of the parameter r of its p.d.f.

$$f(x) = \begin{cases} r \cdot \exp(-rx) & \text{if } x > 0\\ 0 & \text{else.} \end{cases}$$

Thereby compute the Skew and Kurtosis for an exponential r.v.

Note that Skew is zero for a symmetrical distribution. If non zero, the Skew is a measure of asymmetry. The Kurtosis measures the "weight" of the tails: the larger, the heavier the tails.

31. Recall the stable distributions: X is distributed as a symmetrical stable variables, more precisely $X \simeq S\alpha S(\mu, \sigma)$ (0 < $\alpha \le 2$), if and only if

$$\Phi_X(u) = e^{(i\mu u - |\sigma|^\alpha |u|^\alpha)},$$

where μ is the position parameter, and σ is the scale parameter.

- (a) Assume that $X \sim S\alpha S(0, 1)$. Show that $Y = \sigma X + \mu$ is distributed as $S\alpha S(\mu, \sigma)$. This explains why μ is called the position parameter, and σ is the scale parameter.
- (b) Using the rules for the characteristic function show that the sum of two *independent* $S\alpha S$ r.v.'s is also $S\alpha S$. (Note that a Cauchy r.v. is $S\alpha S$ with $\alpha = 1$: so, we solved this problem for the special case $\alpha = 1$ already earlier.) This explains the name "stable". The distributions of these random variables are stable under addition.
- (c) Let $X \simeq S\alpha S(\mu, \sigma)$ and assume that $\alpha > 1$. Show that $\mu = \mathbb{E}[X]$. (Note: When $\alpha \leq 1$, then $\mathbb{E}[|X|] = \infty$. Hence $\mathbb{E}[X]$ is **not defined** when $\alpha \leq 1$.) This gives the intuitive interpretation of the position parameter in the case when the stable distribution have a well defined mean.
- (d) For the remainder of the homework assume that $\mu = 0$. and let X_n be a sequence of independent, identically distributed symmetrical stable variables, more precisely $X_n \simeq S\alpha S(0, \sigma)$. Use the characteristic function to show that

$$Z_n := \frac{X_1 + \ldots + X_n}{n^{1/\alpha}}$$

are distributed as X_n , i.e. $Z_n \simeq S\alpha S(0, \sigma)$. Conclude that Z_n converges in distribution. For which choices of α does the CLT hold, and for which not?