

ELEC 533 Homework 6

Due date: In class on Friday, October 18th, 2002

Instructor: Dr. Rudolf Riedi

22. Let $X \simeq \mathcal{N}(\mu, \sigma^2)$ be a Gaussian r.v. and set $Y = e^X$. Y is called log-normal.
- (a) Compute $\mathbb{E}[Y]$ in terms of μ and σ .
 - (b) Use above formula to compute $\mathbb{E}[Y^q]$ for any $q \in \mathbb{R}$.
 - (c) Use this to compute $\text{Var}(Y)$.
 - (d) Verify that for a Gaussian r.v. X we have $\mathbb{E}[\exp(X)] > \exp(\mathbb{E}[X])$.
23. (a) Let $X \simeq \text{Poiss}(\lambda)$ (see Homework problem 2 (b)). Compute the characteristic function Φ_X of X .
- (b) Let $X_1 \simeq \text{Poiss}(\lambda_1)$ and $X_2 \simeq \text{Poiss}(\lambda_2)$ be independent r.v.'s. Show that $X_1 + X_2 \simeq \text{Poiss}(\lambda_1 + \lambda_2)$. Thus, the sum of two independent Poisson r.v.'s is also Poisson. (HINT: Use the characteristic function.)
- (c) Let $X \simeq \exp(\lambda)$ (see Homework problem 2 (c)). Compute the characteristic function Φ_X of X .
- (d) Is the sum of two independent exponential r.v.'s an exponential r.v.?
24. (a) Let $X \simeq \mathcal{C}(0, 1)$:¹ a standard Cauchy r.v. which is given through the density

$$f_X(x) = \frac{1}{\pi(1+x^2)} \quad \text{for every } x \text{ in } \mathbb{R}.$$

Verify that the characteristic function $\Phi_X(u)$ is given by

$$\Phi_X(u) = e^{-|u|}.$$

- (b) Let $Y \simeq \mathcal{C}(a, b)$ be a general Cauchy r.v., meaning that $Y = a + bX$, where $X \simeq \mathcal{C}(0, 1)$ and where a and b are constants. Compute the characteristic function Φ_Y of Y . (Pay attention to the sign of b , i.e. $\Phi_X(u) = \Phi_{-X}(u) = \Phi_X(-u)$ by symmetry.)
- (c) Let $Y_1 \simeq \mathcal{C}(a_1, b_1)$ and $Y_2 \simeq \mathcal{C}(a_2, b_2)$ be independent Cauchy r.v.'s. Show that the sum $Y := Y_1 + Y_2$ is also Cauchy: $Y \simeq \mathcal{C}(a, b)$. Compute a and b from a_1, a_2, b_1 and b_2 .
25. With fixed λ , for each integer $n \geq \lambda$, let $X_{1,n}, X_{2,n}, \dots, X_{n,n}$ be independent random variables such that

$$P[X_{i,n} = 1] = \frac{\lambda}{n}$$
$$P[X_{i,n} = 0] = 1 - \frac{\lambda}{n}.$$

Let $Y_n = X_{1,n} + X_{2,n} + \dots + X_{n,n}$.

- (a) Find Φ_{Y_n} , the characteristic function of Y_n .
- (b) One can interpret Y_n as the number of successes in n independent Bernoulli trials with success probability λ/n . Verify that Y_n has a binomial distribution! Compute $\mathbb{E}[Y_n]$!
- (c) Find the limit of Φ_{Y_n} as $n \rightarrow \infty$. What distribution does it correspond to? How does your finding relate to an 'old' result from class?

¹This notation is not common and should only be used in this homework set.